







## Universal 3 Phase Tracklights

Product Code	Name	Size	Product Description	Part Description	Color	Gross Price
00209201		<b>CARRERA</b>	Ø 94mm L 191mm 3500lm, 35W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black	
00209202		<b>CARRERA</b>	Ø 94mm L 191mm 3500lm, 35W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White	
00209203		<b>CARRERA</b>	Ø 94mm L 191mm 3500lm, 35W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey	
<b>NICE ATMOSPHERE</b>						
00202011		<b>SPIRIT</b>	Ø 95mm L 95mm 3000lm, 28W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black	
00202012		<b>SPIRIT</b>	Ø 95mm L 95mm 3000lm, 28W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White	
00202013		<b>SPIRIT</b>	Ø 95mm L 95mm 3000lm, 28W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey	
<b>NICE ATMOSPHERE</b>						
00209148		<b>ARGUS</b>	L 1200mm H 45mm W 40mm 3000lm, 30W, 4000K, RA85 R9=55, 120° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	● Black	
00209149		<b>ARGUS</b>	L 1200mm H 45mm W 40mm 3000lm, 30W, 4000K, RA85 R9=55, 120° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	○ White	
00209150		<b>ARGUS</b>	L 1200mm H 45mm W 40mm 3000lm, 30W, 4000K, RA85 R9=55, 120° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	● Grey	
<b>NICE ATMOSPHERE</b>						
00212021		<b>VERTU</b>	Ø 25mm L 400mm 800lm, 9W, 2700K, RA95 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black	
00212022		<b>VERTU</b>	Ø 25mm L 400mm 800lm, 9W, 2700K, RA95 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White	
00212023		<b>VERTU</b>	Ø 25mm L 400mm 800lm, 9W, 2700K, RA95 R9=63, 36° Beam Angle Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey	
<b>NICE ATMOSPHERE</b>						
00209174		<b>APEX</b>	Ø 45mm L 90mm 500lm, 5W, 2200K, RA90 R9=55, 135° Beam Angle Low Ripple, PF >0.7, 5Y Warranty	Royal Led Filament, ST64, E27 Triac Dimmable Track Adaptor TÜV 3Phase-4Wire Gold Decorative Glass	● Black	
00209175		<b>APEX</b>	Ø 45mm L 90mm 500lm, 5W, 2200K, RA90 R9=55, 135° Beam Angle Low Ripple, PF >0.7, 5Y Warranty	Royal Led Filament, ST64, E27 Triac Dimmable Track Adaptor TÜV 3Phase-4Wire Gold Decorative Glass	● Copper	
00209176		<b>APEX</b>	Ø 45mm L 90mm 500lm, 5W, 2200K, RA90 R9=55, 135° Beam Angle Low Ripple, PF >0.7, 5Y Warranty	Royal Led Filament, ST64, E27 Triac Dimmable Track Adaptor TÜV 3Phase-4Wire Gold Decorative Glass	● Brass	
<b>NICE ATMOSPHERE</b>						



## Universal 3 Phase Tracklights

Product Code	Name	Size	Product Description	Part Description	Color	Gross Price
00209020	<b>TARGA</b> 	Ø 80mm L 176mm	900lm, 10W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black	
00209021		Ø 80mm L 176mm	900lm, 10W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White	
00209022		Ø 80mm L 176mm	900lm, 10W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey	
<b>ADJUSTABLE BEAM ANGLE</b>						
00202036	<b>TARGA MEDIUM</b> 	Ø 70mm L 170mm	1500lm, 16W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black	
00202037		Ø 70mm L 170mm	1500lm, 16W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White	
00202038		Ø 70mm L 170mm	1500lm, 16W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey	
<b>ADJUSTABLE BEAM ANGLE</b>						
00209030	<b>TARGA SMALL</b> 	Ø 50mm L 132mm	2600lm, 30W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black	
00209031		Ø 50mm L 132mm	2600lm, 30W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White	
00209032		Ø 50mm L 132mm	2600lm, 30W, 3500K, RA93 R9=63, 25-60° Beam Angle Adjustable, Extra Deep Beam Low Ripple, PF >0.97 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey	
<b>ADJUSTABLE BEAM ANGLE</b>						
00203011	<b>PHANTOM LARGE</b> 	Ø 80mm L 186mm	3000lm, 29W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Philips COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black	
00203012		Ø 80mm L 186mm	3000lm, 29W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Philips COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White	
00203013		Ø 80mm L 186mm	3000lm, 29W, 3500K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Philips COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey	
<b>ITALIAN DESIGN</b>						
00209267	<b>PHANTOM SMALL</b> 	Ø 60mm L 150mm	1450lm, 15W, 3000K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Phillips COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black	
00209268		Ø 60mm L 150mm	1450lm, 15W, 3000K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Phillips COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White	
00209269		Ø 60mm L 150mm	1450lm, 15W, 3000K, RA93 R9=63, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Phillips COB Led Royal In-Track TRIAC Dimmable Driver Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey	
<b>ITALIAN DESIGN</b>						



## Universal 3 Phase Tracklights

Product Code	Name	Size	Product Description	Part Description	Color
00209219	<b>IMOLA MEDIUM</b>  <b>STOCKHOLM STYLE</b>	Ø 140mm	3000lm, 30W, 3500K, RA93	Royal COB Led	● Black
00209220		L 160mm	R9=63, 45° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	
00209221		Ø 140mm	3000lm, 30W, 3500K, RA93	Royal COB Led	
		L 160mm	R9=63, 45° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey
00209097	<b>RIALTO</b>  <b>3 COLOR RINGS INCLUDED</b>	Ø 80mm	3000lm, 30W, 3000K, RA93	Royal COB Led	● Black
00209098		L 190mm	R9=63,36° Beam Angle, 3Rings included;Gold/Black/White Extra Deep Beam, Low Ripple PF >0.95, 5Y Warranty	Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	
00209099		Ø 80mm	3000lm, 30W, 3000K, RA93	Royal COB Led	
		L 190mm	R9=63,36° Beam Angle, 3Rings included;Gold/Black/White Extra Deep Beam, Low Ripple PF >0.95, 5Y Warranty	Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey
00209180	<b>RIALTO MINI</b>  <b>3 COLOR RINGS INCLUDED</b>	Ø 60mm	1100lm, 15W, 3000K, RA93	Royal COB Led	● Black
00209181		L 170mm	R9=63, 36° Beam Angle 3Rings included; Gold/Black/White Extra Deep Beam,Low Ripple, PF >0.95, 5Y	Royal Driver TÜV ENEC Royal Track Adaptor TUV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	
00209182		Ø 60mm	1100lm, 15W, 3000K, RA93	Royal COB Led	
		L 170mm	R9=63, 36° Beam Angle 3Rings included; Gold/Black/White Extra Deep Beam,Low Ripple, PF >0.95, 5Y	Royal Driver TÜV ENEC Royal Track Adaptor TUV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey
00209321	<b>MONZA LARGE</b>  <b>NEW DESIGN</b>	Ø 100mm	4000lm, 40W, 3500K, RA95	Royal COB Led	● Black
00209322		L 130mm	R9=65,36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	
00209323		Ø 100mm	4000lm, 40W, 3500K, RA95	Royal COB Led	
		L 130mm	R9=65,36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey
00209011	<b>MONZA</b>  <b>NEW DESIGN</b>	Ø 80mm	3300lm, 30W, 3500K, RA95	Royal COB Led	● Black
00209012		L 120mm	R9=65,36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	
00209013		Ø 80mm	3300lm, 30W, 3500K, RA95	Royal COB Led	
		L 120mm	R9=65,36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey



## Universal 3 Phase Tracklights

Product Code	Name	Size	Product Description	Part Description	Color
00209011	<b>DIMODA</b>	Ø 60mm L 150mm	820lm, 12W, 1800-3000K, RA93 R9=60, 36° Beam Angle Honey Comb, Low Ripple, PF >0.93, 5Y Warranty	Royal COB Led, Dimm-To-Warm Royal Driver Triac-Dimmable TÜV Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black
00209012		Ø 60mm L 150mm	820lm, 12W, 1800-3000K, RA93 R9=60, 36° Beam Angle Honey Comb, Low Ripple, PF >0.93, 5Y Warranty	Royal COB Led, Dimm-To-Warm Royal Driver Triac-Dimmable TÜV Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White
00209013		Ø 60mm L 150mm	820lm, 12W, 1800-3000K, RA93 R9=60, 36° Beam Angle Honey Comb, Low Ripple, PF >0.93, 5Y Warranty	Royal COB Led, Dimm-To-Warm Royal Driver Triac-Dimmable TÜV Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey
<b>DIMM 2 WARM</b>					
00209279	<b>SPYDER</b>	Ø 100mm L 100mm	3000lm, 30W, 3000K, RA93 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black
00209280		Ø 100mm L 100mm	3000lm, 30W, 3000K, RA93 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White
00209281		Ø 100mm L 100mm	3000lm, 30W, 3000K, RA93 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal In-Track Driver Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey
<b>COMPACT DESIGN</b>					
00209117	<b>GALACTIC</b>	Ø 330mm L 180mm	3500lm, 35W, 3500K, RA93 R9=60, 120° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	● Black
00209118		Ø 330mm L 180mm	3500lm, 35W, 3500K, RA93 R9=60, 120° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	○ White
00209119		Ø 330mm L 180mm	3500lm, 35W, 3500K, RA93 R9=60, 120° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Samsung SMD Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire PMMA Diffuser	● Grey
<b>COMFORT LIGHT</b>					
00209091	<b>ZAROS</b>	Ø 80mm L 160mm	2600lm, 25W, 3000K, RA95 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Black
00209092		Ø 80mm L 160mm	2600lm, 25W, 3000K, RA95 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	○ White
00209093		Ø 80mm L 160mm	2600lm, 25W, 3000K, RA95 R9=65, 36° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire High Efficient Lens-Perfect Light Distribution	● Grey
<b>ATTRACTIVE PRICE</b>					
00209222	<b>IMOLA LARGE</b>	Ø 171mm L 180mm	3000lm, 30W, 3500K, RA93 R9=63, 45° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Black
00209223		Ø 171mm L 180mm	3000lm, 30W, 3500K, RA93 R9=63, 45° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	○ White
00209224		Ø 171mm L 180mm	3000lm, 30W, 3500K, RA93 R9=63, 45° Beam Angle Low Ripple, PF >0.95 5Y Warranty	Royal COB Led Royal Driver TÜV ENEC Royal Track Adaptor TÜV 3Phase-4Wire Aluminium Reflector	● Grey
<b>OVERSIZED</b>					

